

RECEIVED
CENTRAL FAX CENTER
JUL 31 2007

Amendments to the Claims:

This listing will replace all prior versions, and listings, of claims in the application:

1 - 20. Cancelled

21. (Currently Amended) A light guide plate, comprising:

first and second main surfaces facing each other,
at least one lateral surface connecting the first and second main surfaces,
a plurality of first triangular prisms formed on the first main surface and
aligned in a row to a first direction, each having an obtuse ~~protrusion~~angle and
a first vertex angle; and

a plurality of second triangular prisms formed on the second main
surface and aligned in a row to a second direction, each having an obtuse
~~protrusion~~ angle and a second vertex angle, a range of the second vertex angle
being different from that of the first vertex angle,

wherein the first vertex angle ranges from about 100° to about 120°, and
the second vertex angle ranges from about 120° to about 140°.

22. Cancelled

23. Cancelled

24-25. Cancelled

26. Cancelled

27-30. Cancelled

31. Cancelled

32. Cancelled

33-37. (Withdrawn)

38. (Currently Amended) A liquid crystal display, comprising:

a liquid crystal display panel;

a backlight assembly; and

a module that accommodates the liquid crystal display panel and the backlight assembly,

wherein the backlight assembly comprises:

a light guide plate comprising:

a first surface having a first prism pattern, the first prism pattern comprising a plurality of first prisms aligned in a row to a first direction, the plurality of first prisms having an obtuse front ~~protrusion~~ angle and a first triangular cross-sectional shape; and

a second surface having a second prism pattern, the second prism pattern comprising a plurality of second prisms aligned in a row to a second direction, the plurality of second prisms having an obtuse protrusion angle and a second triangular cross-sectional shape,

wherein the first surface faces the second surface,

wherein the first triangular cross-sectional shape has a first vertex angle a range of which that is different from that of a second vertex angle of the second triangular cross-sectional shape, and

_____ wherein the first vertex angle ranges from about 100° to about 120°, and the second vertex angle ranges from about 120° to about 140°.

39.-40. Cancelled

41. (Currently Amended) The light guide plate of claim 38, ~~wherein the plurality of first prisms have a first prism surface and a second prism surface, and~~ wherein the first prism surface and the second prism surface includes a concavo-convex pattern.

42. (Previously Presented) The light guide plate of claim 21, wherein at least one of the triangular prisms has a curved vertex ridge of varying height.

43. (Previously Presented) The liquid crystal display of claim 38, wherein at least one of the triangular prisms has a curved vertex ridge of varying height.